

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Babbages
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>1 x access point which has good visibility and enables social distancing to be maintained, however, the path leading to the entrance gate from Babbages could be a pinch point.</p> <p>1 x litter bin within play area</p> <p>2 x benches within the play area.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying with North Devon Council. Sign to ask public to dispose of litter in bins provided or take litter home. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with two cradle seats and basket swing allow for multiple use.</p> <p>Junior Multi-play is dangerous and cordoned off to prevent use.</p> <p>1 x toddler Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and</p>		<p>Stickers to encourage use by one household only. To be actioned by KG.</p> <p>Signage to encourage social distancing. To be actioned by KG.</p> <p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			processing these directions, maintaining social distance and adapting to the unfamiliar processes.		

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Beechfield
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>Several access points which have good visibility and enables social distancing to be maintained.</p> <p>2 x litter bins provided in play area.</p> <p>2 x Metal benches and a picnic bench in the play area.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying needs to be daily. Sign to ask public to dispose of litter in bins provided or to take litter home. To be actioned by KG.</p> <p>Stickers to encourage use by one household only. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with 2 x junior seats, 1 x basket swing, roundabout and climbing frame allow for multiple use.</p> <p>1 x toddler and 1 x junior Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Outdoor gym equipment – some pieces have two sides which are face to face and do not allow for social distancing.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the</p>		<p>Signage to encourage social distancing. To be actioned by KG.</p> <p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p> <p>Consider taping off one side to prevent use and allow only one person at a time.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.		

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Ellerslie
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>1 x access point which has good visibility and enables social distancing to be maintained.</p> <p>No litter bins provided.</p> <p>1 x picnic bench within the playing field.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Sign to ask public to take litter home. To be actioned by KG.</p> <p>Stickers to encourage use by one household only. To be actioned by KG. Signage to encourage social distancing. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with 3 x junior seats and 1 x cradle seat and roundabout allow for multiple use.</p> <p>1 x Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		<p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>



# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Fremington Quay
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>2 x access points all of which have high visibility and enable social distancing to be maintained.</p> <p>1 x litter bin provided at the entrance to the site.</p> <p>Picnic benches are more than 2m away from each other.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying needs to be daily. Sign to ask public to dispose of litter in bins provided or take litter home. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>The equipment is one piece of multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		<p>Stickers to encourage use by one household only. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Signage to encourage social distancing. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Mulberry
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>1 x access point which has high visibility and enables social distancing to be maintained.</p> <p>No litter bins.</p> <p>1 x bench within the play area.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Sign to ask public to take litter home. To be actioned by KG.</p> <p>Stickers to encourage use by one household only. To be actioned by KG. Signage to encourage social distancing. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with two junior seats and basket swing allow for multiple use.</p> <p>1 x Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		<p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Swallowfield
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>2 x access points all of which have high visibility and enable social distancing to be maintained.</p> <p>1 x litter bin provided at the entrance to the site.</p> <p>1 x bench within the play area.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying with North Devon Council. Sign to ask public to dispose of litter in bins provided or take litter home. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with a cradle and junior seat, basket swing, four-way rocker and climbing wall allow for multiple use.</p> <p>1 x Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		<p>Stickers to encourage use by one household only. To be actioned by KG.</p> <p>Signage to encourage social distancing. To be actioned by KG.</p> <p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Tews Lane – Play Area & Outdoor Gym equipment
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>1 x access point which has good visibility and enables social distancing to be maintained.</p> <p>1 x litter bin provided in play area with more litter bins placed around the site.</p> <p>Metal benches in the play area and 1 x picnic bench by the entrance to the play area.</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying needs to be daily. Sign to ask public to dispose of litter in bins provided or to take litter home. To be actioned by KG.</p> <p>Stickers to encourage use by one household only. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Pieces of equipment are more than 2m from each other.</p> <p>Swing set with 2 x junior seats and 1 x basket swing allow for multiple use.</p> <p>1 x Multi-play with several entrance and exit points, however, the layout does allow for a natural one-way system.</p> <p>There is a tunnel on the multi-play which could become a pinch point.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Outdoor gym equipment – some pieces have two sides which are face to face and do not allow for social distancing.</p>		<p>Signage to encourage social distancing. To be actioned by KG.</p> <p>Signage to state these items can only be used by one household at a time. To be actioned by KG.</p> <p>Signage to show a one-way system. To be actioned by KG.</p> <p>Signage on the tunnel to show a one-way system. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p> <p>Consider taping off one side to prevent use and allow only one person at a time.</p>



Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		

# Fremington Parish Council

<b>Organisation:</b> Fremington Parish Council	<b>Reference:</b> COVID-19
<b>Activity:</b> Play Areas	<b>Site:</b> Village Green
<b>People at Risk:</b> Members of the Public	
<b>Contact Person:</b> Victoria Woodhouse <b>Job Title:</b> Executive Officer <b>Date:</b> 30 <sup>th</sup> June 2020	<b>Review Date:</b> Every four weeks 3 <sup>rd</sup> August 2020

## Risk Evaluation

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
COVID-19	Transmission of virus	H	<p>Signage explaining rules of use.</p> <p>3 x access points all of which have high visibility and enable social distancing to be maintained.</p> <p>2 x litter bins provided.</p> <p>1 x bench on the Village Green</p>	M	<p>Signage promoting Government Guidance, social distancing and other necessary precautions for members of the public to take prior to and after using the equipment to be provided prior to opening. To be actioned by KG.</p> <p>Stickers for entrance points to remind public of social distancing. To be actioned by KG.</p> <p>Check frequency of emptying needs to be daily. Sign to ask public to dispose of litter in bins provided or take litter home. To be actioned by KG.</p> <p>Sticker to encourage use by one household only. To be actioned by KG.</p>

Hazard	Risk	Initial Rating (L, M, H,)	Existing Control Measures	Final Rating (L, M, H,)	Additional Action Required (action by whom and completion date)
			<p>The two pieces of play equipment are more than 2m from each other.</p> <p>Swing set with 2 cradle seats.</p> <p>There is high visibility of the equipment, area and entrance points which will enable people to maintain social distancing and no pinch points identified.</p> <p>The Play Equipment is not cleaned.</p> <p>Children with additional needs should be accompanied by an adult from their household (or bubble) when using the equipment. Clear signage has been provided but those with additional needs may require assistance in understanding and processing these directions, maintaining social distance and adapting to the unfamiliar processes.</p>		<p>Signage to encourage social distancing – swings can only be used by one household at a time. To be actioned by KG.</p> <p>Make members of the public aware through signage that the equipment is not cleaned and provide advice on the use of antibacterial wipes and hand-sanitizer.</p>